
# **AMALIE PETROQUIMICA – APSA**

## **HOMOLOGACIONES 2016**



## **API: AMERICAN PETROLEUM INSTITUTE**



PAISERVICE

## Company Information

Company Name: AMALIE PETROQUIMICA, S.A.

CALLE PRINCIPE DE VERGARA 128 MADRID, MADRID, 28002, SPAIN Corporate Address:

License Status: Active

License Number: 0897

Original License Issue Date: 02-Oct-1996

License Effective Date: 05-Mar-2016

License Expiration Date: 31-Mar-2017

Products							
BRAND NAME	SAE VISCOSITY GRADE	SERVICE CATEGORY	T	PERFORMANCE DESIGNATION	T	ILSAC DESIGNATION	Ť
APSA AMAX 200	5W-30	SN					
APSA AMAX 300	5W-40	SN					
APSA AMAX 300	5W-30	SM					
APSA AMAX 300	5W-30	SN					
APSA ELIXIR SYNTHETIC	5W-40	SN					
APSA ELIXIR SYNTHETIC	10W-40	SL					
APSALANDER	15W-40	CI-4/SL					
APSA SUPER TURBO DIESEL SHPD	15W-40	CH-4/SJ					
APSATECNO	10W-40	SL					
TRALUBE TL E3	15W-40	CH-4/SJ					
UHPD TLS	10W-40	CI-4					

## **ACEAS: NORMATIVA ATIEL**



## List of Companies who have signed the EELQMS (lubricant marketer's) Letter of Conformance

Brussels, January 5, 2016

conformance

Update number: 146

Participation in the European Engine Lubricant Quality Management System (EELQMS) implies a commitment to develop and manufacture those engine lubricants for which compliance with ACEA Oil Sequences will be claimed, or to have such engine lubricants developed or blended by third parties, in accordance with the guidelines, described in the ATIEL Code of Practice as well as a commitment to ensure an independent audit of the development and manufacturing process. These commitments are made in a "Letter of Conformance", issued by the participating entity to ATIEL.

ATIEL confirms that it has registered the declaration of the following entities' participation in EELQMS\*:

Letter of

	Company Name	valid until
	AMALIE PETROQUIMICA sa	31 May 2016
	ARAL	31 May 2016
	ARMORINE sa	31 May 2016
	ASTRIS sa	31 May 2016
	AVIA Mineralöl-AG	31 May 2016
	AVISTA OIL Refining & Trading Deutschland GmbH	31 May 2016
	AZTEC OILS Ltd	31 May 2016
		31 May 2016
		31 May 2016
В	BP Ltd	31 May 2016
	BRUGAROLAS sa BUCHER	31 May 2016
	AG LANGENTHAL	31 May 2016
С	CASTROL Ltd	21 May 2016
	CEPSA LUBRICANTES sa CHEVRON	31 May 2016 31 May 2016
	Lubricants- Europe Región COMERCIAL	31 May 2016
	IMPORTADORA SA de CV COMERCIAL	31 May 2016
	ROSHFRANS SA de CV	31 May 2016
		,

www.atiel.org

Boulevard du Souverain, 165 • B-1160 Brussels • Belgium • Tel: + 32 2 566 91 37 • Fax: + 32 2 566 91 36 • E-mail: Info@atlel.org

VAT: BE 455 894 555



## MERCEDES-BENZ-DAIMLER

## DAIMLER



Damer 4G - 7054s Sozgan

Amalie Petroquimica S.L. Attn. Mrs. Marta Sanchez de Lamadrid Principe de Vergara, 128 PC 28002 MADRID SPAIN

24801

59756

C401

TO 20 UPBY, the Nacrolotz your, 22.10.2014

RD/PDI-F-50213

Name 5 Maii

Mrs. Fuchs

05.12.2014

## **MB-Approval Certificate**

New Approval - Engine Oil

M8-Approval 229.51 for: "APSA AMAX 3000" Oil-Code: OS246239, SAE-Grade: 5W-30

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.51 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- · The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-CNLINE http://bevo.mercedes-benz.com
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 27.11.2014 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely

Daimler AG

I.V. Dr. Torsten Eder

I.V. Dr. Oliver Storz



## **GRUPO VOLKSWAGEN**

## VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Amalie Petroquimica S.L. Mrs. Sanchez de Lamadrid Principe de Vergara 128 28002 Madrid

Spain

madl 27.01.16

9-32371

THRE NACHRICHT UNSERE ZEICHEN 1437-elf-sk DURCHWAHL 9-43156

TELEFAX

THRE ZEICHEN

engine.ol.approvals.vwag.r.wob@vokswagen.de

04.03.2016

DATUM

#### **Engine Oil**

Dear Mrs Sanchez de Lamadrid,

Analysis of the engine oil

### APSA AMAX 3000 SAE 5W-30 (Oil-Code OS 246239)

has shown that product in question meets the requirements in accordance with VW Standard 504 00 and VW Standard 507 00. This engine oil is therefore suitable for use in our vehicles with LongLife Service (petrol and diesel engines, including diesel engines with particulate traps without fuel borne catalyst) in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

### "approved under VW Standard 504 00 and VW Standard 507 00"

Please note that this approval will expire on 25.09.2018 at the same time as the approval given to the reference oil.

Yours sincerely,

Dr. Elfrath

Dr. Kossmehl

sa-O. Ko Surl

VOLKSWAGEN AKTIENGESELLSCHAFT

38436 WOLFSBURG

DEUTSCHLAND

TELEFON +49-53 61-9-0

TELEFAX +49-53 61-9-2 82 82

VW@VOLKSWAGEN DE

EHRENVORSITZENDER DES

AUFSICHTSRATS:

KLAUS LIESEN

VORSTAND:

MARTIN WINTERKORN -

VORSITZENDER

HERBERT DIESS

FRANCISCO J. GARCIA SANZ

JOCHEM HEIZMANN

CHRISTIAN KUNGLER

MATTHIAS MOLLER

HORST NEUMANN

HANS DIETER POTSCH

ANDREAS RENSCHLER

RUPERT STADLER

VOLKSWAGEN AKTIENGESELLSCHAFT

SITZ: WOLFSBURG

AMTSGERICHT BRAUNSCHWEIG

HR# 100484







#### Ford Motor Company Limited

Fuels & Lubes Department Ford Motor Company Dunton Technical Centre Room 15/2A-J08-D Laindon, Basildon, Essex, SS15 6EE

Tel.: +44 (0) 1268 402801 Fax: +44 (0) 1268 405619

Date: 20th August 2014

AMALIE PETROQUIMICA-APSA
Attn: Enrique Sánchez de Lamadrid - Director
Calle Príncipe de Vergara 128, Planta comercial
28002-Madrid
SPAIN

Dear Ms. Marta Sanchez de Lamadrid,

Ref: Request for Claiming Ford WSS-M2C913-D Specs on APSA AMAX 500 F 5w30 of Amalie Petroquimica SA using Infineum Formulation Code IME0900712-A

We acknowledge your claim for Ford WSS-M2C913-D Specs on APSA AMAX 500 F 5w30

However, please ensure that you adhere to these formulations including the additive types, additive treat rates and the base oils used for blending. Ford has the right to take samples, request analysis of the blends and have the right to ask you to remove the product from the market if requirements are not met.

Ford hereby excludes all liability whatsoever for our above acknowledgement and reserves our rights, as the testing has not been conducted by Ford and the acknowledgement was based only on the information provided.

This acknowledgement from Ford in no way implies that Ford is recommending the oil. In no circumstances can any actual or implied recommendation be made to third parties.

Yours sincerely,

Suhair Abdelhalim Senior Lubricant Engineer Rhys Davies

Fuels & Lubes Supervisor

### MERCEDES BENZ-DAIMLER VEHICULO INDUSTRIAL

## DAIMLER



Daimler AG - 70546 Stuttgart

Amalie Petroquimica S.L. Attn. Mrs. Marta Sanchez de Lamadrid Principe de Vergara, 128 PC 28002 MADRID SPAIN

Telefon/Phone

Telefax/Fax

Heuspost-Code, Internal Code

24801

59756

C401

thr Zeichen, thre Nactricht vom/ Your reference 22.10.2014 Unser Zeichen, unsere Nachricht vom/ Our reference RD/PDI-F-50219

E-Mail

Mrs. Fuchs

Decum / Date

05.12.2014

## **MB-Approval Certificate**

New Approval - Engine Oil

MB-Approval 228.51 for: "APSA UHPD TLS 10W-40" Oil-Code: OR-F59169F-C, SAE-Grade: 10W-40

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.51 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- · The MB-Approval comes into force on the date shown on this certificate
- . The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE http://bevo.mercedes-benz.com
- · Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 27.11.2014 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely Daimler AG

i.V. Dr. Wolfgang Sladek

i.V. Dr. Oliver Storz

## VOLVO + RENAULT VEHICULO INDUSTRIAL + MACK



Volvo Group Trucks Technology

## STD 417-0002 approval request

## Data supplied by requesting company

Company name:\* AMALIE PETROQUIMICA, S.L.

Brand name:\* APSA UHPD TLS

Oil code: (confidential to manufacturer)

Viscosity grade: 10W-40
Marketing area: SPAIN
Other approvals: ACEA E6-E7-10

API CI-4

OEM MB 228.51, MAN M3477, MTU Type 3.1, Deutz DQC III-10

\*) As they shall appear in approved products lists

Date of submission 12-Jun-14

Submitted by

Name: Marta Sánchez de Lamadrid Company: AMALIE PETROQUIMICA, S.L.

Return approval to:

Name: Marta Sánchez de Lamadrid e-mail: apsa@amaliepetroquimica.com

### Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

Approval date: June 23, 2014 Approval #: 417-0002-14-991

Validity: Approval expires two years after the approval date.

For approval extension, a complete and updated approval form must be

submitted at the expiry date ± two months.

Signed: Volvo Group Trucks Technology

Bengt Otterholm Lubricants Coordinator

<u>Disclaimer:</u> This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).



#### Corporate Research & Development

ZF Friedrichshafen AG · 88038 Friedrichshafen

Department DT0

DTGM21 Stella Braunschweig

Amalie Petroquimica Principe de Vergara , 128 Phone +49 7541 77 7853 Fax +49 7541 77 9078

Fax +49 7541 77 907853 E-mail Stella.Braunschweig@zf.com

28002 Madrid

E-mail Your Ref.

From

Our Ref.

Date

SPAIN

2015-11-05

#### ATF DEXRON II

Dear Madam / Sir

Due to your confirmation that the formulation of your lubricant ATF DEXRON II (ZF approval number ZF001128) has not changed and will continue to conform to the data of your approval application of 2012-12-13, we confirm approval for application according to the ZF Lubricant Class/es

- · TE-ML 04D
- TE-ML 11A
- TE-ML 14A

Approval is based on the data in your approval application of 2012-12-13, extended on 2015-11-05. Any alterations of these data will result in withdrawal of approval and the need to submit a new application. You are under the obligation to report any changes to approved products without delay.

Approval is valid for 12 months. If after 11 months you use our approval system "lubricant data file" to confirm unaltered condition of the formulation, approval will be extended by another 12 months. If not, approval will automatically be withdrawn. A reminder will be mailed to you in good time.

Best regards

ZF Friedrichshafen AG

i.A. Skilla Braunsdiweg

Stella Braunschweig

## **ZF: DEXRON III**



#### Corporate Research & Development

ZF Friedrichshafen AG · 88038 Friedrichshafen

Amalie Petroquimica Principe de Vergara , 128

28002 Madrid

SPAIN

Department DTGM21

From Stella Braunschweig
Phone +49 7541 77 7853
Fax +49 7541 77 907853

E-mail Stella.Braunschweig@zf.com

Your Ref. Our Ref.

Date 2015-11-05

#### ATF DEXRON III

Dear Madam / Sir

Due to your confirmation that the formulation of your lubricant ATF DEXRON III (ZF approval number ZF001121) has not changed and will continue to conform to the data of your approval application of 2012-12-12, we confirm approval for application according to the ZF Lubricant Class/es

- · TE-ML 04D
- TE-ML 11B
- TE-ML 14A

Approval is based on the data in your approval application of 2012-12-12, extended on 2015-11-05. Any alterations of these data will result in withdrawal of approval and the need to submit a new application. You are under the obligation to report any changes to approved products without delay.

Approval is valid for 12 months. If after 11 months you use our approval system "lubricant data file" to confirm unaltered condition of the formulation, approval will be extended by another 12 months. If not, approval will automatically be withdrawn. A reminder will be mailed to you in good time.

Best regards

ZF Friedrichshafen AG

i.A. Skella Braunsdiwerg

Stella Braunschweig