

AMALIE PETROQUIMICA – APSA

HOMOLOGACIONES 2023



API: AMERICAN PETROLEUM INSTITUTE

Company Information

Company Name: AMALIE PETROQUIMICA, S.A

Corporate Address: CALLE PRINCIPE DE VERGARA 128
MADRID, MADRID, 28002, SPAIN

License Status: Active

License Number: 0897

Original License Issue Date: 02-Oct-1996

License Effective Date: 01-Apr-2023

License Expiration Date: 31-Mar-2024



Products

Show 20 entries

BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION	ILSAC SPECIFICATION
<input type="text" value="Search Brand Name"/>	<input type="text" value="Search SAE Viscosity Grade"/>	<input type="text" value="Search API Service Category"/>	<input type="text" value="Search CLASSIFICATION"/>	<input type="text" value="Search ILSAC SPECIFICATION"/>
APSAAMAX 200	5W-30	SN		
APSAAMAX 300	5W-30	SN		
APSAAMAX 300	5W-30	SM		
APSAAMAX 300	5W-40	SN		
APSA ELIXIR SYNTHETIC	5W-40	SN		
APSA ELIXIR SYNTHETIC	10W-40	SL		
APSA LANDER	15W-40	CI-4/SL		
APSA SUPER TURBO DIESEL SHPD	15W-40	CH-4/GJ		
APSATECNO	10W-40	SL		
TRALUBE TLE3	15W-40	CH-4/GJ		
UHPD TLS	10W-40	CI-4		

ACEAS: NORMATIVA ATIEL



SAIL-Europe

Services to Associations and Industry in the Lubricants sector

Participant access

Home [FAQ](#) [News](#) [Publications](#) [Links](#) [Contact us](#)

[About us](#) | [Registration and Product Survey process](#) | [EELQMS Trademark](#) | [LoC registrations](#)

List lubricant marketers registrants

The following companies have registered their Marketers' Letter of Conformance (LoC) effective January 12, 2022

#	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	Y	Z
Company	Country																							Brands covered by LoC	
'Refinerija ulja Modriča' a.d. Modriča	BA																							Optima, Maxima	
'ЭНЕФИЯ (C.N.R.G. Oil Company)	RU																							CNRG	
2A+ Solutions Konrad Jakubowski	PL																							SCRIPTUM PREMIUM SELECTED	
3ST DOOEL export-import	MK																							GRAND OIL, MILTECH	
77 BV	NL																							77 LUBRICANTS	
ACCOR LUBRIFIANTS	FR																							ACCOR, KENNOL, MIRALUB, SUPERPLUS	
ACEITES LUBRICANTES.SASH	ES																							SASH, DANKER, KRONER	
ACT Aerosol Chemie Technik GmbH	DE																							RZOIL, TOPCAR, CARMO, VSS	
AD PARTS, S.L.	ES																							AD, SPORTCAR	
AD Sverige AB	SE																							Miles	
ADDINOL Lube Oil GmbH	DE																							ADDINOL Engine Oils	
ADECO DOO	RS																							ADECO	
Adolf Würth GmbH & Co. KG	DE																							Triethlon	
Advanced Lubrication Specialties, Inc.	US																							Advantage, Goodyear Performance Max, Sunoco Ultra	
AEGEAN OIL SA	GR																							AEGEAN VELOX, AEGEAN VIGOR	
Agro Oil	SE																							Agrol, Aspen Park	
Aidlube GmbH	DE																							Aidlube	
ALCO LLC	AZ																							AMINOL	
Alexander Duckham & Co., Limited	GB																							Duckhams	
Alliance Automotive Services B.V.	NL																							Coldax, Rapido, Brega, NAPA	
Allpass Technology Co., Ltd - 广东阿波斯姆科技有限公司	CN																							全福, ALLPASS, 德士福, 马宝龙	
AMALIE Oil Company	US																							AMALIE, Wolf's Head	
AMALIE PETROQUIMICA	ES																							AMALIE APSA	

FORD



Ford Motor Company Limited



**Fuels & Lubes Department
Ford Motor Company
Dunton Technical Centre
Room 15/2A-J08-D
Laindon, Basildon,
Essex, SS15 6EE**

**Tel. : + 44 (0) 1268 402801
Fax: + 44 (0) 1268 405619**

Date: 20th August 2014

**AMALIE PETROQUIMICA-APSA
Attn: Enrique Sánchez de Lamadrid - Director
Calle Príncipe de Vergara 128, Planta comercial
28002-Madrid
SPAIN**

Dear Ms. Marta Sanchez de Lamadrid,

**Ref: Request for Claiming Ford WSS-M2C913-D Specs on APSA AMAX 500 F
5w30 of Amalie Petroquimica SA using Infineum Formulation Code IME0900712-A**

We acknowledge your claim for Ford WSS-M2C913-D Specs on APSA AMAX 500 F 5w30

However, please ensure that you adhere to these formulations including the additive types, additive treat rates and the base oils used for blending. Ford has the right to take samples, request analysis of the blends and have the right to ask you to remove the product from the market if requirements are not met.

Ford hereby excludes all liability whatsoever for our above acknowledgement and reserves our rights, as the testing has not been conducted by Ford and the acknowledgement was based only on the information provided.

This acknowledgement from Ford in no way implies that Ford is recommending the oil. In no circumstances can any actual or implied recommendation be made to third parties.

Yours sincerely,

**Suhair Abdelhalim
Senior Lubricant Engineer**

**Rhys Davies
Fuels & Lubes Supervisor**

MERCEDES BENZ-DAIMLER VEHICULO INDUSTRIAL



Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

T/P +49 711 17 24801
T/F +49 711 17 59756

Ihr Zeichen, Ihre Nachricht vom/
Your reference
31.03.2022

Unser Zeichen, unsere Nachricht vom/
Our reference number
RD/PMI-164208

Date
08.06.2022

MB-Approval Certificate - New Approval - Engine Oil - Rebrand
MB-Approval 228.3 for: "LANDER 15W-40"
Oil-Code: IME1802741-A~, SAE-Grade: 15W-40

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed on the Mercedes-Benz Operating Fluids website <https://operatingfluids.mercedes-benz.com> or <https://operatingfluids.mercedes-benz-trucks.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained. We will inform you of the dispatch address.

Sincerely
Mercedes-Benz AG

i.V. Ralf Krukenberg

i.V. Dr. Jochen Betsch

Mercedes-Benz AG | 70546 Stuttgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | dialog.mb@daimler.com | www.mercedes-benz.com

Mercedes-Benz AG, Stuttgart, Germany | Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HBR-Nr./Commercial Register No.: 76 2873
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Bernd Pischetsrieder
Vorstand/Board of Management: Ola Källénius, Vorsitzender/Chairman; Jörg Burzer, Renata Jungo Brünnger, Sabine Kohlschön, Harald Wilhelm, Markus Schäfer, Britta Seeger

and Mercedes-Benz are registered trademarks of Mercedes-Benz Group AG, Stuttgart, Germany.

VOLVO + RENAULT VEHICULO INDUSTRIAL + MACK



Volvo Group Trucks Technology

STD 417-0002 approval

Company name: AMALIE PETROQUIMICA, S.L.
Product name: UHPD TLS
Oil code(s):
Viscosity grade: 10W40

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault Trucks RLD-2 approval	Yes

Approval date: July 3, 2023 **Approval #:** 417-0002-23-1464

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date \pm two months.

Approval:

Approved



Volvo Group Trucks Technology

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

VOLVO + RENAULT VEHICULO INDUSTRIAL + MACK

VOLVO

Volvo Group Trucks Technology

STD 417-0003 approval

Company name: AMALIE PETROQUIMICA, S.L
Product name: UHPD TLS
Oil code(s):
Viscosity grade: 5W30

Volvo VDS-4.5 approval	Yes
Mack EOS-4.5 approval	Yes
Renault VI RLD-3 approval	Yes

Approval date: September 24, 2022 **Approval #:** 417-0003-22-843

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date \pm two months.

Approval:

Approved



Volvo Group Trucks Technology

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).